COS-NET (Construction On the Sea Network)

CPS satellites

COS=NET (Construction On the Sea Network) is a system for monitoring and controlling work-vessels by the combination of GPS and IT technology. By the application of this system, the operation data including accurate positions are available.


RYUJIN



Production capacity: 360m³/hr of SGM light weight soil Solidification capacity: 500 m³/hr Vessel specification: 65m long, 26m wide, 4.5m deep, 2m in water


RYUJIN is Japan's first Super Geo-Material (SGM) vessel and is equipped to dealt with demands of great volume at a rapid speed. It has a producing system capable of storing large volume of lightening agents and to conduct highprecision measurements.

TOA has been concentrating on PFI business such as school food services, housing and government facilities.




This is a new, but noteworthy technology to prevent soil from liquefaction. In this method, dozens to hundreds of nozzles are set three-dimensionally in the ground, and grout is automatically poured under the most suitable pressure and current volume based on pre-measured data.

Plug Magic Method



TOA has established an engineering technique named Plug Magic Method that enables soft dredged soil to be solidified efficiently for reuse as a filling material. This method requires no mixer, and the operating cost can be reduced by 10-15%. It is also an eco-friendly method enabling a through in-pipe transportation of soft mud from dredging site to reclamation site. Plug flow occurs when compressed air gets mixed into soft mud in pneumatic pipeline. This method kneads soft mud and solidification material in the pneumatic pipeline, utilizing the characteristic of plug flow. It has maximum solidification capacity of 1,000m³/h.



Beluga System

This is our originally developed system for accurate and speedy measurement of the depth of ground level in water by effectively combining the latest measurement devices, including the narrow multi-beam depth measuring sonar, in order to acquire data in wide regions and the GPS.